

Message

From: Kathy Saucedo [Kathy.Saucedo@tceq.texas.gov]
Sent: 12/10/2019 1:26:13 AM
To: Anastasia Watkinson [AWatkinson@responsegroupinc.com]
CC: Adams, Adam [Adams.Adam@epa.gov]; Loesel, Matthew [loesel.matthew@epa.gov]; Acevedo, Janie [Acevedo.Janie@epa.gov]; Assunto, Carmen [Assunto.Carmen@epa.gov]; anggna@aol.com; Hope Davila [Hope.Davila@tceq.texas.gov]; Jillian Layton [Jillian.Layton@Tceq.Texas.Gov]; pkeith@hdaissues.com; rpdeville@hdaissues.com; aprather@hdaissues.com; Erika Lamberth [ELamberth@responsegroupinc.com]; Fisher, Bray [fisher.kelsey@epa.gov]; nll5@cdc.gov; jbranick@aol.com; Sarah Kirksey [Sarah.Kirksey@tceq.texas.gov]; Patel, Anish [patel.anish@epa.gov]; Cronin, Sara [Sara.Cronin@tpcgrp.com]
Subject: Re: For Approval: PN Response Update 24

The press release states that 11 tanks are having inhibitor introduced. I was under the impression there were 12 tanks.

Sent from my iPhone

On Dec 9, 2019, at 7:19 PM, Anastasia Watkinson <AWatkinson@responsegroupinc.com> wrote:

Please review asap.

Thanks,

Anastasia Watkinson

Jetty Regional Project Manager

Crisis Communications

The Response Group

Mobile: +1 832.334.3649

Email: awatkinson@responsegroupinc.com

Have a Jetty Question? <http://jettyapp.com/support/>

Is this an emergency? Please call TRG 24-hour Support: +1 281.880.5000

Jetty Software-The complete tool for communicating with your stakeholders

<News Release 24_Monday PM_DRAFT (003).docx>